

1. IDENTIFICATION

Product Identifier: **ALL CLEAR® DS**

Other Means of Identification: ALL CLEAR DOUBLE STRENGTH 07299

Recommended Use of the Chemical and Restrictions on Use: For removal of deposits and other debris, including oily substances from tanks, hoses, booms, transfer & mixing systems, filters, screens and nozzles

Details of Manufacturer or Importer: Importer: AgNova Technologies Pty Ltd
Unit 4, 482 Kingsford Smith Drive
Hamilton, Qld 4007 Australia
(03) 9899 8100
info@agnova.com.au
agnova.com.au


Emergency Phone Number: 1800 033 111 (24 hrs)

2. HAZARD(S) IDENTIFICATION

Classification of the Hazardous Chemical according to GHS/WHS:

Signal Word: Danger

Pictogram:



Exclamation Mark, Corrosion

Hazard Statements:

Skin Corrosion/Irritation - Category 1B:

H314 Causes severe skin burns and eye damage

Specific Target Organ Toxicity (Single Exposure) - Category 3:

H335 May cause respiratory irritation



SAFETY DATA SHEET

ALL CLEAR DS

Date of Issue: July 2021

Chronic Aquatic Toxicity - Category 3:

H412 Harmful to aquatic life with long lasting effects

Precautionary Statements:

Prevention

P261: Avoid breathing spray

P264: Wash hands thoroughly after handling

P271: Use only outdoors or in a well-ventilated area

P273 Avoid release to the environment

P280: Wear protective gloves/protective clothing/eye protection/face protection

Response

P301+P330+P331: IF SWALLOWED: rinse mouth. Do NOT induce vomiting

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing

P310: Immediately call a POISON CENTRE/doctor

P363: Wash contaminated clothing before reuse

Storage

P403+P233: Store in a well-ventilated place. Keep container tightly closed

P405: Store locked up

Disposal

P501: Dispose of the contents/containers in accordance with the current legislation on waste treatment

ADG Classification: Classified as Dangerous Goods according to the Australian Code for the Transport of Dangerous Goods by Road and Rail 7th Edition (see section 14)

SUSMP Classification: Not a scheduled poison (Standard for Uniform Scheduling of Medicines and Poisons)

3. COMPOSITION AND INFORMATION ON INGREDIENTS

Ingredients:	CAS No:	Classification:	Concentration:
Benzenesulfonic acid, mono-C10-13-alkyl derivatives, compounds with ethanolamine	85480-55-3	Acute Tox. 4: H302; Eye Dam. 1: H318; Skin Irrit. 2: H315 - Danger	10-<30%
2-aminoethanol	141-43-5	Acute Tox. 4: H302+H312+H332; Flam. Liq. 4: H227; Skin Corr. 1B: H314	<10%

		- Danger	
tetrasodium (1-hydroxyethylidene) bisphosphonate	3794-83-0	Acute Tox. 4: H302; Eye Irrit. 2A: H319 - Warning	<10%
Alcohols, C12-15, ethoxylated (7 EO)	68131-39-5	Acute Tox. 4: H302; Aquatic Chronic 3: H412; Eye Dam. 1: H318 - Danger	<10%

To obtain more information on the hazards of the substances consult sections 11, 12 and 16.

Other information:

Identification:	Specific concentration limit:
2-aminoethanol; CAS: 141-43-5	% (w/w) \geq 5: STOT SE 3 - H335
tetrasodium (1-hydroxyethylidene) bisphosphonate; CAS: 3794-83-0	% (w/w) \geq 30: Eye Irrit. 2 - H319

4. FIRST AID MEASURES

If poisoning occurs, immediately contact a doctor or Poisons Information Centre (Phone 13 11 26), and follow the advice given. Show this Safety Data Sheet to a doctor.

Description of Necessary First Aid Measures:

- Ingestion:** Request immediate medical assistance, showing the SDS of this product. Do not induce vomiting, because its expulsion from the stomach can be hazardous to the mucous of the main digestive tract, and its inhalation, to the respiratory system. Rinse out the mouth and throat, as they may have been affected during ingestion. In the case of loss of consciousness do not administer anything orally unless supervised by a doctor. Keep the person affected at rest.
- Inhalation:** Remove the person affected from the area of exposure, provide with fresh air and keep at rest. In serious cases such as cardiorespiratory failure, artificial resuscitation techniques will be necessary (mouth to mouth resuscitation, cardiac massage, oxygen supply, etc.) requiring immediate medical assistance.
- Skin contact:** Remove contaminated clothing and footwear, rinse skin or shower the person affected if appropriate with plenty of cold water and neutral soap. In serious cases see a doctor. If the product causes burns or freezing, clothing should not be removed as this could worsen the injury caused if it is stuck to the skin. If blisters form on the skin, these should never be burst as this will increase the risk of



SAFETY DATA SHEET

ALL CLEAR DS

Date of Issue: July 2021

	infection.
Eye contact:	Rinse eyes thoroughly with lukewarm water for at least 15 minutes. Do not allow the person affected to rub or close their eyes. If the injured person uses contact lenses, these should be removed unless they are stuck to the eyes, as this could cause further damage. In all cases, after cleaning, a doctor should be consulted as quickly as possible with the SDS of the product.
First Aid Facilities:	Provide washing facilities in the workplace.
Symptoms Caused by Exposure:	Acute and delayed effects are indicated in sections 2 and 11.
Medical Attention and Special Treatment:	Not applicable.

5. FIREFIGHTING MEASURES

Suitable Extinguishing Equipment:	Product is non-flammable under normal conditions of storage, handling and use, but the product contains flammable substances. In the case of inflammation as a result of improper handling, storage or use preferably use polyvalent powder extinguishers (ABC powder), in accordance with the Regulation on fire protection systems. IT IS RECOMMENDED NOT to use full jet water as an extinguishing agent.
Specific Hazards Arising from the Chemical:	As a result of combustion or thermal decomposition reactive sub-products are created that can become highly toxic and, consequently, can present a serious health risk.
Special Protective Equipment and Precautions for Firefighters:	Depending on the magnitude of the fire it may be necessary to use full protective clothing and individual respiratory equipment. Minimum emergency facilities and equipment should be available (fire blankets, portable first aid kit,...). Act in accordance with the Internal Emergency Plan and the Information Sheets on actions to take after an accident or other emergencies. Destroy any source of ignition. In case of fire, refrigerate the storage containers and tanks for products susceptible

to inflammation, explosion or BLEVE as a result of high temperatures. Avoid spillage of the products used to extinguish the fire into an aqueous medium.

6. ACCIDENTAL RELEASE MEASURES

Personal Precautions, Protective Equipment and Emergency Procedures:	Isolate leaks provided that there is no additional risk for the people performing this task. Personal protection equipment must be used against potential contact with the spilt product (See section 8). Evacuate the area and keep out those who do not have protection.
Environmental Precautions:	Avoid at all cost any type of spillage into an aqueous medium. Contain the product absorbed appropriately in hermetically sealed containers. Notify the relevant authority in case of exposure to the general public or the environment.
Methods and Materials for Containment and Cleaning Up:	It is recommended: Absorb the spillage using sand or inert absorbent and move it to a safe place. Do not absorb in sawdust or other combustible absorbents. For any concern related to disposal consult section 13.

7. HANDLING AND STORAGE

Precautions for Safe Handling:	<p><u>A.- Precautions for safe manipulation</u> Comply with the current legislation concerning the prevention of industrial risks. Keep containers hermetically sealed. Control spills and residues, destroying them with safe methods (section 6). Avoid leakages from the container. Maintain order and cleanliness where dangerous products are used.</p> <p><u>B.- Technical recommendations for the prevention of fires and explosions</u> Product is non-flammable under normal conditions of storage, handling and use. It is recommended to transfer at slow speeds to avoid the generation of electrostatic charges that can affect flammable products. Consult section 10 for information on conditions and materials that should be avoided.</p> <p><u>C.- Technical recommendations to prevent ergonomic and toxicological risks</u> Do not eat or drink during the process, washing hands afterwards with suitable cleaning products.</p> <p><u>D.- Technical recommendations to prevent environmental risks</u></p>
---------------------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------

Due to the danger of this product for the environment it is recommended to use it within an area containing contamination control barriers in case of spillage, as well as having absorbent material in close proximity.

Conditions for Safe Storage, including any Incompatibilities:

A.- Technical measures for storage

Duration: tested to 36 months

Maximum Temp.: 40°C

Minimum Temp.: 0°C

B.- General conditions for storage

Avoid sources of heat, radiation, static electricity and contact with food. For additional information see section 10.

8. EXPOSURE CONTROLS AND PERSONAL PROTECTION

Exposure Standards:

Control parameters:

Substances whose occupational exposure limits have to be monitored in the workplace (Workplace exposure standards for airborne contaminants 16/12/2019):

<i>Identification</i>	<i>Occupational Exposure Limits</i>		
2-aminoethanol:	TWA	3 ppm	7.5 mg/m ³
	STEL	6 ppm	15 mg/m ³
Dipropylene Glycol Methyl Ether:	TWA	50 ppm	308 mg/m ³
	STEL	-	-

Biological Monitoring:

No data available.

Control Banding:

No data available.

Engineering Controls:

Use in a well-ventilated area.

Individual Protection Measures, for example, Personal Protective Equipment (PPE):

General security and hygiene measures in the work place.
As a preventative measure it is recommended to use basic Personal Protection Equipment. For more information on Personal Protective Equipment (storage, use, cleaning, maintenance, class of protection,...) consult the information leaflet provided by the manufacturer. For more information see subsection 7.1. All information contained herein is a recommendation which needs some specification from the labour risk prevention services as it is not known whether the

company has additional measures at its disposal.

Eye and face protection: Mandatory face protection - face shield. Clean daily and disinfect periodically according to the manufacturer's instructions. Use if there is a risk of splashing.

Skin protection:

Specific protection for the hands: Mandatory hand protection - non-disposable chemical protective gloves. The Breakthrough Time indicated by the manufacturer must exceed the period during which the product is being used. Do not use protective creams after the product has come into contact with skin. As the product is a mixture of several substances, the resistance of the glove material can not be calculated in advance with total reliability and has therefore to be checked prior to the application.

Body protection: Mandatory complete body protection - disposable clothing for protection against chemical risks. For professional use only. Clean periodically according to the manufacturer's instructions. Mandatory foot protection - safety footwear for protection against chemical risk. Replace boots at any sign of deterioration.

Respiratory protection: Mandatory respiratory tract protection - filter mask for gases and vapours. Replace when there is a taste or smell of the contaminant inside the face mask. If the contaminant comes with warnings it is recommended to use isolation equipment.

Thermal hazards: No data available.

Additional emergency measures: An emergency shower and eyewash stations should be provided in the workplace.

9. PHYSICAL AND CHEMICAL PROPERTIES

Physical State:	Liquid
Colour:	Yellow
Odour:	Characteristic
Melting Point:	Not applicable*
Boiling Point:	Not applicable*
Flammability:	Not applicable*
Lower and Upper Explosion Limit/Flammability Limit:	Not applicable*
Flash Point:	Not flammable (>93°C)
Auto-Ignition Temperature:	Not applicable*
Decomposition Temperature:	Not applicable*
pH:	10.5-11.5 (at 100%) (ASTM D3838-05)
Kinematic	Not applicable*

ALL CLEAR DS

Date of Issue: July 2021

Viscosity:
Solubility: Miscible
Partition Not applicable*
Coefficient: n-octanol/water (log value):
Vapour Pressure: At 20°C Not applicable*; At 50°C 11601.26 Pa (11.6 kPa)
Density (20°C): 1065-1085 kg/m³ (ISO 649-2)
Relative Vapour Density (20°C): Not applicable*
Particle Characteristics: Not applicable*

*Not relevant due to the nature of the product, not providing information property of its hazards.

10. STABILITY AND REACTIVITY

Reactivity: No hazardous reactions are expected because the product is stable under recommended storage conditions. See section 7.

Chemical Stability: Chemically stable under the conditions of storage, handling and use.

Possibility of Hazardous Reactions: Under the specified conditions, hazardous reactions that lead to excessive temperatures or pressure are not expected.

Conditions to Avoid: Applicable for handling and storage at room temperature:
Shock and friction: Not applicable.
Contact with air: Not applicable.
Increase in temperature: Not applicable.
Sunlight: Precaution.
Humidity: Not applicable.

Incompatible Materials: Acids: Avoid strong acids.
Water: Not applicable.
Oxidising materials: Precaution.
Combustible materials: Not applicable.
Others: Avoid alkalis or strong bases.

Hazardous Decomposition Products: Depending on the decomposition conditions, complex mixtures of chemical substances can be released: carbon dioxide (CO₂), carbon monoxide and other organic compounds.

11. TOXICOLOGICAL INFORMATION

The experimental information related to the toxicological properties of the product itself is not available.

Dangerous health implications:

In case of exposure that is repetitive, prolonged or at concentrations higher than recommended by the occupational exposure limits, it may result in adverse effects on health, depending on the means of exposure:

Acute Toxicity: Ingestion (acute effect): Based on available data, the classification criteria are not met, however, it contains substances classified as dangerous for consumption. For more information see section 3. Corrosivity/Irritability: Corrosive product, if it is swallowed causes burns destroying the tissues. For more information about secondary effects from skin contact see section 2.

Inhalation (acute effect): Based on available data, the classification criteria are not met. However, it contains substances classified as dangerous for inhalation. For more information see section 3. Corrosivity/Irritability: Prolonged inhalation of the product is corrosive to mucous membranes and the upper respiratory tract.

Skin Corrosion/Irritation: Above all, skin contact may occur as fabrics of all thicknesses can be destroyed, resulting in burns. For more information on the secondary effects see section 2.

Serious Eye Damage/Irritation: Produces serious eye damage after contact.

Respiratory or Skin Sensitisation: Respiratory: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous with sensitising effects. For more information see section 3. Cutaneous: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

Germ Cell Mutagenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

Carcinogenicity: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for the

ALL CLEAR DS

Date of Issue: July 2021

effects mentioned. For more information see section 3. IARC: Non-applicable

Reproductive Toxicity:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

Specific Target Organ Toxicity (STOT) – single exposure:

Causes irritation in respiratory passages, which is normally reversible and limited to the upper respiratory passages.

Specific Target Organ Toxicity (STOT) – repeated exposure:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

Skin: Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

Aspiration Hazard:

Based on available data, the classification criteria are not met, as it does not contain substances classified as dangerous for this effect. For more information see section 3.

Information on Possible Routes of Exposure:

See above and section 4.

Early Onset Symptoms related to Exposure:

See above and section 4.

Specific Toxicology Information on the Substances:

Benzenesulfonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine:	LD ₅₀ oral (rat): 1570 mg/kg LD ₅₀ dermal (rabbit): 2504 mg/kg LC ₅₀ inhalation: >5 mg/L (4 h)
tetrasodium (1-hydroxyethylidene) bisphosphonate:	LD ₅₀ oral (rat): 1219 mg/kg LD ₅₀ dermal: >5000 mg/kg LC ₅₀ inhalation: >5 mg/L (4 h)
2-aminoethanol:	LD ₅₀ oral (rat): 1515 mg/kg LD ₅₀ dermal (rabbit): 2504 mg/kg LC ₅₀ inhalation (rat): 11 mg/L (4 h)
Alcohols, C12-15, ethoxylated (7 EO):	LD ₅₀ oral (rat): 300 mg/kg LD ₅₀ dermal: >5000 mg/kg LC ₅₀ inhalation: >20 mg/L (4 h)



SAFETY DATA SHEET

ALL CLEAR DS

Date of Issue: July 2021

Acute Toxicity Estimate (ATE mix):

<u>ATE mix</u>		<u>Ingredient(s) of unknown toxicity</u>
Oral	2347.66 mg/kg (Calculation method)	0 %
Dermal	>5000 mg/kg (Calculation method)	Non-applicable
Inhalation	111.11 mg/L (4 h) (Calculation method)	0 %

12. ECOLOGICAL INFORMATION

Ecotoxicity:	The experimental information related to the eco-toxicological properties of the product itself is not available.	
Benzenesulfonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine:	LC ₅₀ 1.67 mg/L (96 h) <i>Lepomis macrochirus</i> Fish EC ₅₀ Non-applicable EC ₅₀ Non-applicable	
2-aminoethanol:	LC ₅₀ 349 mg/L (96 h) <i>Cyprinus carpio</i> Fish EC ₅₀ 65 mg/L (48 h) <i>Daphnia magna</i> Crustacean EC ₅₀ 22 mg/L (72 h) <i>Scenedesmus subspicatus</i> Algae	
Alcohols, C12-15, ethoxylated (7 EO):	LC ₅₀ >10-100 mg/L (96 h) Fish EC ₅₀ >10-100 mg/L (48 h) Crustacean EC ₅₀ >10-100 mg/L (72 h) Algae	

Persistence and Degradability:	<u>Degradability</u>	<u>Biodegradability</u>
Benzenesulfonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine:	BOD5 Non-applicable COD Non-applicable BOD5/COD Non-applicable	Concentration Non-applicable Period 21 days 90% biodegradable
2-aminoethanol:	BOD5 Non-applicable COD Non-applicable BOD5/COD Non-applicable	Concentration 20 mg/L Period 21 days 90% biodegradable

Bioaccumulative Potential:		
Benzenesulfonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine:	BCF: 87 Pow Log: - Potential: Moderate	
2-aminoethanol:	BCF: 3 Pow Log: -1.31 Potential: Low	



SAFETY DATA SHEET

ALL CLEAR DS

Date of Issue: July 2021

Mobility in Soil:

	<u>Absorption/desorption</u>	<u>Volatility</u>
Benzenesulfonic acid, mono-C10-13-alkyl derivs., compds. with ethanolamine:	Koc: 1.16 Conclusion: Very High Surface tension: Non-applicable	Henry: Non-applicable Dry soil: Non-applicable Moist soil: Non-applicable
2-aminoethanol:	Koc: 0.27 Conclusion: Very High Surface tension: 5.025E-2 N/m (25°C)	Henry: 3.7E-5 Pa·m ³ /mol Dry soil: No Moist soil: No

Other Adverse Effects: Not described

13. DISPOSAL CONSIDERATIONS

Disposal Methods:

Consult the appropriate waste management authority on the assessment and disposal operations in accordance with relevant local, state and federal regulations. See section 6 'Environmental Precautions'.

14. TRANSPORT INFORMATION

Transport by land:

Classified as a Dangerous Good (Class 8) according to the Australian Code for the Transport of Dangerous Goods by Road and Rail 7th Edition

UN Number: UN1760

Proper Shipping Name or Technical Name: CORROSIVE LIQUID, N.O.S. (2-aminoethanol)

Transport Hazard Class: 8

Packing Group Number: III

Environmental Hazards for Transport Purposes: None



SAFETY DATA SHEET

ALL CLEAR DS

Date of Issue: July 2021

Special Precautions for User: Physico-Chemical properties: see section 9

Additional Information: Limited quantities: 5 L

Hazchem Code: 2X

Transport by sea:
With regard to IMDG 39-18

UN Number: UN1760

Proper Shipping Name or Technical Name: CORROSIVE LIQUID, N.O.S. (2-aminoethanol)

Transport Hazard Class: 8

Packing Group Number: III

Environmental Hazards for Transport Purposes: None, not a marine pollutant

Special Precautions for User: Special regulations – 223, 274
EmS codes F-A, S-B
Physico-Chemical properties: see section 9

Additional Information: Limited quantities: 5 L
Segregation group: Non-applicable

Transport in bulk according to Annex II of Marpol 73/78 and the IBC code: Non-applicable

Transport by air:
With regard to IATA/ICAO 2021:



SAFETY DATA SHEET

ALL CLEAR DS

Date of Issue: July 2021

UN Number: UN1760

Proper Shipping Name or Technical Name: CORROSIVE LIQUID, N.O.S. (2-aminoethanol)

Transport Hazard Class: 8

Packing Group Number: III

Environmental Hazards for Transport Purposes: None

Special Precautions for User: Physico-Chemical properties: see section 9

Transport in bulk according to Annex II of Marpol 73/78 and the IBC code: Non-applicable

15. REGULATORY INFORMATION

APVMA: Registration not required

SUSMP: Not scheduled

State Departments of Agriculture / Primary Industries: No data available

Australian Inventory of Chemical: Listed

16. OTHER INFORMATION

Date of Preparation or Revision: July 2021



SAFETY DATA SHEET

ALL CLEAR DS

Date of Issue: July 2021

Reason for Revision: Section 1: new address
Section 2: hazard and precautionary statements updated
Section 3: ingredients updated
Sections 4, 5, 7: slight revision to wording
Section 6: environmental precautions updated
Section 8: exposure standards and other information updated
Sections 9, 11, 12: data added/updated
Section 10: conditions to avoid updated
Section 14: slight revision to wording

Abbreviations and Acronyms: ADG – Australian Dangerous Goods Code
APVMA – Australian Pesticides and Veterinary Medicines Authority
ASTM – American Society for Testing and Materials
BCF – Bioconcentration Factor
BLEVE – Boiling Liquid Expanding Vapour Explosion
BOD5 – 5-day Biochemical Oxygen Demand
COD – Chemical Oxygen Demand
EC50 – Effective Concentration 50
GHS – Globally Harmonised System of Classification and Labelling of Chemicals
IARC – International Agency for Research on Cancer
IATA – International Air Transport Association
ICAO – International Civil Aviation Organisation
IMDG – International Maritime Dangerous Goods Code
ISO – International Organization for Standardisation
Koc – Partition coefficient of organic carbon
LD50 – Lethal Dose 50
LC50 – Lethal Concentration 50
STEL – Short Term Exposure Limit
SUSMP – Standard for the Uniform Scheduling of Medicines and Poisons
TWA – Time Weighted Average
WHS – Work Health and Safety
® Registered Trademark of AgNova Technologies Pty Ltd

Data Sources: Manufacturer product safety data sheet and published data

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

The opinions expressed herein are those of qualified experts with the manufacturer. Since the use of this information and of these opinions and the conditions of use of this product are not within the control of AgNova Technologies Pty Ltd, it is the user's obligation to determine the conditions of safe use of the product.

END OF SDS