



5 Page: 1 of

Infosafe No™ 3NUYC ISSUED by NUFARM Issue Date : April 2021

Product Name BARRACK 720 Fungicide

Classified as hazardous

1. Identification

GHS Product

BARRACK 720 Fungicide

Identifier

5781 **Product Code**

Product Type Group M5 Fungicide

NUFARM AUSTRALIA LIMITED. (ABN 80 004 377 780) Company Name

Victoria 3026 Australia

103-105 Pipe Road Laverton North Address

Telephone/Fax

Tel: +61 3 9282-1000

Number

Emergency phone 1800 033 498 (24hr Australia)

number

E-mail Address SDSANZ@nufarm.com

the chemical and restrictions on use

Recommended use of For the control of fungus diseases on almonds, bananas, cucurbits, grapes, ornamentals, peanuts, pulses, stone fruits, tobacco and vegetables as

specified in the Directions for Use table on the label.

Other Information This Safety Data Sheet describes the properties of the concentrated product. The physical properties and the assessments may not apply to the properties of

the product once it has been diluted for application.

2. Hazard Identification

Serious eye irritation: Category 1 GHS classification of

Skin sensitization: Category 1 the

Acute toxicity: Category 2 - Inhalation substance/mixture

Carcinogenicity: Category 2

Specific target organ toxicity - single exposure: Category 3

Hazardous to the aquatic environment, long-term (Chronic): Category Chronic 1

Signal Word (s)

Hazard Statement (s) H318 Causes serious eye damage

H330 Fatal if inhaled

H335 May cause respiratory irritation H336 May cause drowsiness or dizziness H351 Suspected of causing cancer

H410 Very toxic to aquatic life with long lasting effects

H317 May cause an allergic skin reaction

Precautionary statement - General P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P103 Read label before use.

Pictogram (s) Corrosion, Skull and crossbones, Health hazard, Environment









CS: 3.4.20

Precautionary statement -

P260 Do not breathe mists or spray.

P271 Use only outdoors or in a well-ventilated area.

P284 Wear respiratory protection. Prevention

P280 Wear protective gloves, clothing, eye and face protection.

P272 Contaminated work clothing should not be allowed out of the workplace.

P273 Avoid release to the environment.

Precautionary

P308+P313 IF exposed or concerned: Get medical advice/attention.

statement - Response P304+P340 IF INHALED: Remove victim to fresh air and keep at rest in a

position comfortable for breathing.

P310 Immediately call a POISON CENTER or doctor/physician.

P310 Immediately call a POISON CENTER or doctor/physician.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes.

Remove contact lenses, if present and easy to do. Continue rinsing.

Print Date: 27/04/2021





Page: 2 of 5

Product Name BARRACK 720 Fungicide

Classified as hazardous

P302+P352 IF ON SKIN: Wash with plenty of soap and water.

P333+P313 If skin irritation or rash occurs: Get medical advice/attention.

P391 Collect spillage.

Other Information Poisons Schedule S6

3. Composition/information on ingredients

4. First-aid measures

Inhalation Remove affected person to fresh air until recovered. If symptoms persist,

seek medical attention immediately.

Ingestion Rinse mouth and then drink plenty of water.

Do not give anything by mouth to a semi-conscious or unconscious person.

If vomiting occurs, give more water to drink to assist dilution.

Skin Remove contaminated clothing and launder before re-use.

Wash affected areas thoroughly with soap and water.

If irritation persists, seek medical advice.

least 15 minutes.
 Seek medical advice.

(Australia) on 13 11 26.

Advice to Doctor Treat symptomatically.

Persons having allergic reactions respond to treatment with antihistamines

or steroid creams and/or systemic steroids.

5. Fire-fighting measures

Suitable Water fog, foam, carbon dioxide or dry chemical.

extinguishing media

Hazards from May emit toxic fumes of hydrogen chloride or phosgene if involved in fires or

Combustion exposed to extreme heat.

Products

Special Protective Breathable air apparatus must be worn when fighting a fire in which this

Equipment for fire product is involved.

fighters

Specific hazards Considered low risk due to water content, however upon evaporation of water

arising from the the product is combustible.

chemical

Hazchem Code 2X

Other Information STOP FIRE WATER FROM ENTERING DRAINS OR WATER BODIES.

6. Accidental release measures

Spills & Disposal Contain spill and absorb with clay, sand, soil or proprietary absorbent (such

as vermiculite).

Collect spilled material and waste in sealable open-top type containers for

disposal.

Dispose of at a landfill in accordance with local regulations.

Personal Protection For appropriate personal protective equipment (PPE), refer Section 8.

If product has dried out and the possibility of dust generation exists, wear

a suitable respirator.

Clean-up Methods -

Place damaged containers in recovery bins (if available) and return to

Large Spillages manufacturer.

If large liquid spills occur, attempt to recover as much spilt material from sumps and bunded areas, as possible, before absorbing remaining material into

Print Date: 27/04/2021 CS: 3.4.20





3 of 5 Page:

Infosafe No™ 3NUYC Issue Date : April 2021 ISSUED by NUFARM

Product Name BARRACK 720 Fungicide

Classified as hazardous

vermiculite or other absorbent.

Prevent from entering drains, waterways or sewers. **Environmental**

Precautions

7. Handling and storage

Precautions for Safe Handling

Do NOT contaminate dams, rivers or streams, or any other water bodies with

pesticide or used containers.

Conditions for safe storage, including any incompatibilities

Store in the closed, original container in a dry, well ventilated area out of direct sunlight.

Keep container tightly sealed and do not store with seed, fertilisers or

foodstuffs.

Store in a locked enclosure.

Other Information Always read the label and any attached leaflet before use.

8. Exposure controls/personal protection

Occupational exposure limit values

Safe Work Australia has set the following exposure standard for propylene

glycol: TLV (TWA) 474 mg/m3, STEL -.

Appropriate

Use in a well ventilated area only.

engineering controls

Do not inhale spray mist.

Protection

Respiratory

Personal Protective

Equipment

When opening the container, preparing spray and using the prepared spray wear

cotton overalls buttoned to the neck and wrist and a washable hat,

Hygiene Measures

elbow-length PVC gloves and goggles and appropriate respiratory protection. After use and before eating, drinking or smoking, wash hands, arms and face

thoroughly with soap and water.

After each day's use, wash contaminated clothing and safety equipment.

Requirements

Concerning Special Training

Check State or Territory regulations that require people who use pesticides in their job or business to have training in the application of the materials.

9. Physical and chemical properties

Form

Appearance White opaque liquid Disperses in water. Solubility in Water

1.354 **Specific Gravity**

0.076 mPa @ 25°C for chlorothalonil Vapour Pressure

~40% **Volatile Component**

Partition Coefficient: Kow Log P is 2.92 (25°C, chlorothalonil)

n-octanol/water

Non combustible material. **Flammability**

10. Stability and reactivity

Stable under normal conditions. **Chemical Stability**

Possibility of

Keep away from strong oxidising agents.

hazardous reactions

Hazardous polymerisation is not possible. Hazardous

Polymerization

11. Toxicological Information

>5,000 mg/kg for chlorothalonil Acute Toxicity - Oral LD50 (rat)

Acute Toxicity -

LD50 (rat) >5,000 mg/kg for chlorothalonil

Dermal

Print Date: 27/04/2021 CS: 3.4.20





5 Page: 4 of

Infosafe No™ 3NUYC ISSUED by NUFARM Issue Date : April 2021

Product Name BARRACK 720 Fungicide

Classified as hazardous

Acute Toxicity -

0.1 mg/l for chlorothalonil LC50 (4hr) (rat.)

Inhalation

Ingestion May cause irritation to mouth, throat and stomach.

Possible symptoms of exposure include: nausea, vomiting and central nervous

system depression.

Not a likely route of exposure when handling the concentrate. Inhalation

However, care should be taken to avoid the inhalation of excessive amounts

of spray mist during field spraying, respiratory irritation may occur.

Skin May irritate the skin.

Prolonged or repeated exposure may cause skin sensitisation.

The concentrate will cause severe irritation and possible damage unless washed Eye

off immediately.

Skin Sensitisation Chlorothalonil is a skin sensitiser.

Chlorothalonil is classified as a suspected human carcinogen based on limited Carcinogenicity

evidence from animal studies.

The product is an eye irritant.

Reproductive

Data indicates no reproductive effects.

Toxicity

Chronic Effects Liver and kidney damage has been noted in laboratory animals that have been

fed excessive doses of chlorothalonil.

Reports of human experience in use of chlorothalonil products demonstrate

that some individuals become sensitive to contact with this compound.

Serious eye

damage/irritation

The product is a respiratory irritant. Respiratory

Irritation

Mild skin irritant. Skin

corrosion/irritation

The Australian Acceptable Daily Intake (ADI) for chlorothalonil for a human is Other Information 0.01 mg/kg/day, set for the public for daily, lifetime exposure. This is based

on the NOEL of 1.5 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Aust Govt Dept. of APVMA, 'ADI List', April 2020).

12. Ecological information

Persistence and Average field half life of chlorothalonil is 7 - 30 days.

Adsorption studies indicate that chlorothalonil has very low mobility. degradability

In water, half life for chlorothalonil is 4.5 hours to 9 days.

Known Harmful

Effects on the Environment

Highly toxic to fish and aquatic organisms.

Environmental Marine pollutant.

Protection

The following is data for the active ingredient, chlorothalonil. **Acute Toxicity - Fish**

LC50 (96hr) for rainbow trout is 0.043 mg/l. LC50 (96hr) for bluegill sunfish is 0.059 mg/l.

Acute Toxicity -

Daphnia

LC50 (48hr) for daphnia magna is 70 µg/l

Acute Toxicity -

EC50 (120hr) for Selenastrum capricornutum is 210 μ g/l.

Algae

The following data is for the active ingredient, chlorothalonil. Acute Toxicity -

Not toxic to bees. Other Organisms

Birds: Not toxic to birds. LD50 for mallard ducks is >4,640 mg/kg

13. Disposal considerations

On site disposal of the concentrated product is not acceptable. **Product Disposal**

Ideally, the product should be used for its intended purpose. If there is a need to dispose of the product, approach local authorities who hold periodic

collections of unwanted chemicals (ChemClear®).

Container Disposal Do not use this container for any other purpose.

Print Date: 27/04/2021 CS: 3.4.20





Page: 5 of 5

Product Name BARRACK 720 Fungicide

Classified as hazardous

Triple or preferably pressure rinse containers before disposal. Add rinsings to the spray tank.

If recycling, replace cap and return clean containers to recycler or designated collection point.

If not recycling, puncture or shred and bury containers in local authority landfill.

If no landfill is available, bury the containers below 500mm in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots.

Empty containers and product should not be burnt.

Returnable containers: empty contents fully into application equipment. Replace cap, close all valves and return to the point of supply for refill or storage.

drumMUSTER is the national program for the collection and recycling of empty, cleaned, non returnable crop production and on-farm animal health chemical containers. If the label on your container carries the drumMUSTER symbol, triple rinse the container, ring your local Council, and offer the container for collection in the program.

14. Transport information

Transport It is good practice not to transport agricultural chemical products with

food, food related materials and animal feedstuffs.

Hazchem Code 2X UN Number (Sea 2902

Transport)

Information

IMO Class/Packing Class 6.1/PGII

Group

IMO Proper PESTICIDE, LIQUID, TOXIC, N.O.S. (contains chlorothalonil)

Shipping Name

Marine Pollutant Marine Pollutant

15. Regulatory information

Regulatory WHS Schedule 11, item 34: Acute toxicity category 2.

Information

Poisons Schedule S6
Packaging & POISON

Labelling KEEP OUT OF REACH OF CHILDREN

READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Other Information This product is registered with the Australian Pesticides and Veterinary

Medicines Authority (APVMA). APVMA product number: 53884.

16. Other Information

Date of preparation April 2021

or last revision of

SDS

Contact Person/Point Normal Hours: SDS Coordinator Phone: +61 3 9282 1000

After Hours: Shift Supervisor Phone: 1800 033 498

...End Of MSDS...

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Chemical Safety International Pty Ltd.

Print Date: 27/04/2021 CS: 3.4.20