### Belt® 480 SC Insecticide



Version 1 / AUS 102000010980

Revision Date: 28.04.2021 Print Date: 29.04.2021

#### SECTION 1: IDENTIFICATION OF THE MATERIAL AND SUPPLIER

1.1 Product identifier	
Trade name	Belt® 480 SC Insecticide
Product code (UVP)	06364705, 87346846

1.2 Relevant identified uses of the substance or mixture and uses advised against		
Use	Insecticide	
1.3 Details of the supplier of the safety data sheet		
Supplier	Bayer Cropscience Pty Ltd ABN 87 000 226 022 Level 1, 8 Redfern Road 3123 Hawthorn East Victoria Australia	
Telephone	(03) 9248 6888	
Telefax	(03) 9248 6800	
Responsible Department	1800 804 479 Technical Information Service	
Website	www.crop.bayer.com.au	
1.4 Emergency telephone no.		
Emergency telephone no.	1800 033 111 IXOM Operations Pty Ltd	

#### SECTION 2. HAZARDS IDENTIFICATION

#### 2.1 Classification of the substance or mixture

#### Classification in accordance with Australian GHS Regulation

Acute aquatic toxicity: Category 1 H400 Very toxic to aquatic life.

Chronic aquatic toxicity: Category 1 H410 Very toxic to aquatic life with long lasting effects.

#### 2.2 Label elements

No hazard label for supply/use required.

#### 2.3 Other hazards

No additional hazards known beside those mentioned.

#### SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

#### **Chemical nature**

# Belt® 480 SC Insecticide



Version 1 / AUS 102000010980

Revision Date: 28.04.2021 Print Date: 29.04.2021

#### Flubendiamide 480 g/l

Suspension concentrate (=flowable concentrate)(SC)

Chemical name	CAS-No.	Concentration [%]
Flubendiamide	272451-65-7	39.00
Glycerine	56-81-5	<= 10.00
1,2-Benzisothiazol-3(2H)-one	2634-33-5	>= 0.005 - <= 0.05
Mixture of: 5-chloro-2-methyl-4-isothiazolin-	55965-84-9	> 0.0002 - < 0.0015
3-one and 2-methyl-4-isothiazolin-3-one		
Other ingredients (non-hazardous) to 100%		

#### SECTION 4. FIRST AID MEASURES

If poisoning occurs, immediately contact a doctor or Poisons Information Centre (telephone 13 11 26), and follow the advice given. Show this Safety Data Sheet to the doctor.

#### 4.1 Description of first aid measures

•		
General advice	Move out of dangerous area. Place and transport victim in stable position (lying sideways). Remove contaminated clothing immediately and dispose of safely.	
Inhalation	Move to fresh air. Keep patient warm and at rest. Call a physician or poison control center immediately.	
Skin contact	Take off contaminated clothing and shoes immediately. Wash off thoroughly with plenty of soap and water, if available with polyethyleneglycol 400, subsequently rinse with water. If symptoms persist, call a physician.	
Eye contact	Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Get medical attention if irritation develops and persists.	
Ingestion	Rinse mouth. Do NOT induce vomiting. Call a physician or poison control center immediately.	
4.2 Most important symptoms and effects, both acute and delayed		
Symptoms	To date no symptoms are known.	
4.3 Indication of any immediate medical attention and special treatment needed		
Treatment	Treat symptomatically. In case of ingestion gastric lavage should be considered in cases of significant ingestions only within the first 2 hours. However, the application of activated charcoal and sodium sulphate is always advisable. There is no specific antidote.	

### Belt® 480 SC Insecticide



Version 1 / AUS 102000010980

Revision Date: 28.04.2021 Print Date: 29.04.2021

#### SECTION 5. FIRE FIGHTING MEASURES

5.1 Extinguishing media	
Suitable	Water spray, Carbon dioxide (CO2), Foam, Sand
5.2 Special hazards arising from the substance or mixture	In the event of fire the following may be released: Hydrogen cyanide (hydrocyanic acid), Hydrogen fluoride, Carbon monoxide (CO), Sulphur oxides, Nitrogen oxides (NOx)
5.3 Advice for firefighters	
Special protective equipment for firefighters	Wear self-contained breathing apparatus and protective suit.
Further information	Remove product from areas of fire, or otherwise cool containers with water in order to avoid pressure being built up due to heat. Whenever possible, contain fire-fighting water by diking area with sand or earth. Do not allow run-off from fire fighting to enter drains or water courses.
Hazchem Code	•3Z

#### **SECTION 6. ACCIDENTAL RELEASE MEASURES**

#### 6.1 Personal precautions, protective equipment and emergency procedures

Precautions	Keep unauthorized people away. Avoid contact with spilled product or contaminated surfaces. When dealing with a spillage do not eat, drink or smoke. Use personal protective equipment.	
6.2 Environmental precautions	Do not allow to get into surface water, drains and ground water. If the product contaminates rivers and lakes or drains inform respective authorities.	
6.3 Methods and materials for containment and cleaning up		
Methods for cleaning up	Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust). Clean contaminated floors and objects thoroughly, observing environmental regulations. Keep in suitable, closed containers for disposal.	
6.4 Reference to other sections	Information regarding safe handling, see section 7. Information regarding personal protective equipment, see section 8. Information regarding waste disposal, see section 13.	

#### SECTION 7. HANDLING AND STORAGE

#### 7.1 Precautions for safe handling

Advice on safe handlingUse only in area provided with appropriate exhaust ventilation.Hygiene measuresAvoid contact with skin, eyes and clothing. Keep working clothes<br/>separately. Wash hands before breaks and immediately after handling<br/>the product. Remove soiled clothing immediately and clean thoroughly<br/>before using again. Garments that cannot be cleaned must be

### Belt® 480 SC Insecticide



Version 1 / AUS 102000010980

Revision Date: 28.04.2021 Print Date: 29.04.2021

destroyed (burnt).

#### 7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers	Store in original container. Keep containers tightly closed in a dry, cool and well-ventilated place. Store in a place accessible by authorized persons only. Keep away from direct sunlight.
	persons only. Reep away non unect surnight.

Advice on common storage Keep away from food, drink and animal feedingstuffs.

#### **SECTION 8. EXPOSURE CONTROLS / PERSONAL PROTECTION**

#### 8.1 Control parameters

Components	CAS-No.	Control parameters	Update	Basis
Flubendiamide	272451-65-7	0.5 mg/m3 (TWA)		OES BCS*
Glycerine	56-81-5	10 mg/m3 (TWA)	12 2011	AU NOEL
(Inhalable mist.)				

\*OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure Standard"

#### 8.2 Exposure controls

Respiratory protection	circumstances of exposu Respiratory protection sl short duration activities, been taken to reduce ex local extract ventilation.	a not required under anticipated ure. hould only be used to control residual risk of when all reasonably practicable steps have posure at source e.g. containment and/or Always follow respirator manufacturer's earing and maintenance.
Hand protection	breakthrough time which Also take into considerat the product is used, such contact time. Wash gloves when conta inside, when perforated	ructions regarding permeability and n are provided by the supplier of the gloves. tion the specific local conditions under which h as the danger of cuts, abrasion, and the aminated. Dispose of when contaminated or when contamination on the outside cannot ds frequently and always before eating, ng the toilet. Nitrile rubber > 480 min > 0.4 mm Protective gloves complying with EN 374.
Eye protection	Wear goggles (conforming	ng to EN166, Field of Use = 5 or equivalent).
Skin and body protection	Wear standard coveralls and Category 3 Type 6 suit. If there is a risk of significant exposure, consider a higher protective type suit. Wear two layers of clothing wherever possible. Polyester/cotton or cotton overalls should be worn under chemical protection suit and should be professionally laundered frequently. If chemical protection suit is splashed, sprayed or significantly	

# Belt® 480 SC Insecticide



Version 1 / AUS 102000010980

Revision Date: 28.04.2021 Print Date: 29.04.2021

	contaminated, decontaminate as far as possible, then carefully remove and dispose of as advised by manufacturer.
General protective measures	In normal use and handling conditions please refer to the label and/or leaflet. In all other cases the above mentioned recommendations would apply.
Engineering Controls	
Advice on safe handling	Use only in area provided with appropriate exhaust ventilation.

#### SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

9.1 Information on basic physical and chemical properties		
Form	suspension	
Colour	white to light beige	
Odour	weak, characteristic	
Odour Threshold	No data available	
рН	6.5 - 7.5 (100 %) (23 °C)	
Melting point/range	No data available	
Boiling Point	No data available	
Flash point	> 100 °C No flash point - Determination conducted up to the boiling point.	
Flammability	No data available	
Auto-ignition temperature	435 °C	
Minimum ignition energy	No data available	
Self-accelarating decomposition temperature (SADT)	No data available	
Upper explosion limit	No data available	
Lower explosion limit	No data available	
Vapour pressure	No data available	
Evaporation rate	No data available	
Relative vapour density	No data available	
Relative density	No data available	
Density	ca. 1.22 g/cm³ (20 °C)	
Water solubility	miscible	
Partition coefficient: n- octanol/water	Flubendiamide: log Pow: 4.2 (25 °C)	
Viscosity, dynamic	No data available	
Viscosity, kinematic	No data available	

### Belt® 480 SC Insecticide



Version 1 / AUS 102000010980 Revision Date: 28.04.2021 Print Date: 29.04.2021

Surface tension	49.5 mN/m Determined in the undiluted form.
Oxidizing properties	No data available
Explosivity	No data available
9.2 Other information	Further safety related physical-chemical data are not known.

#### SECTION 10. STABILITY AND REACTIVITY

10.1 Reactivity Thermal decomposition 10.2 Chemical stability	Stable under normal conditions. No data available Stable under recommended storage conditions.
10.3 Possibility of hazardous reactions	No hazardous reactions when stored and handled according to prescribed instructions.
10.4 Conditions to avoid	Extremes of temperature and direct sunlight.
10.5 Incompatible materials	Store only in the original container.
10.6 Hazardous decomposition products	Thermal decomposition can lead to release of: Carbon dioxide (CO2) Carbon monoxide Nitrogen oxides (NOx) Sulphur oxides Hydrogen fluoride Hydrogen cyanide (hydrocyanic acid)

#### SECTION 11. TOXICOLOGICAL INFORMATION

#### 11.1 Information on toxicological effects

Acute oral toxicity	LD50 (Rat) > 2,000 mg/kg
Acute inhalation toxicity	LC50 (Rat) > 2.564 mg/l Exposure time: 4 h Highest attainable concentration. Determined in the form of a respirable aerosol.
Acute dermal toxicity	LD50 (Rat) > 4,000 mg/kg
Skin corrosion/irritation	No skin irritation (Rabbit)
Serious eye damage/eye irritation	No eye irritation (Rabbit)
Respiratory or skin sensitisation	Skin: Non-sensitizing (Guinea pig) OECD Test Guideline 406, Buehler test

#### Assessment mutagenicity

Flubendiamide was not mutagenic or genotoxic in a battery of in vitro and in vivo tests.

#### Assessment carcinogenicity

### Belt® 480 SC Insecticide



Version 1 / AUS 102000010980 Revision Date: 28.04.2021 Print Date: 29.04.2021

Flubendiamide was not carcinogenic in lifetime feeding studies in rats and mice.

#### Assessment toxicity to reproduction

Flubendiamide did not cause reproductive toxicity in a two-generation study in rats.

#### Assessment developmental toxicity

Flubendiamide did not cause developmental toxicity in rats and rabbits.

#### Assessment STOT Specific target organ toxicity - single exposure

Flubendiamide: Based on available data, the classification criteria are not met.

#### Assessment STOT Specific target organ toxicity - repeated exposure

Flubendiamide did not cause specific target organ toxicity in experimental animal studies.

#### Aspiration hazard

Based on available data, the classification criteria are not met.

#### Information on likely routes of exposure

Harmful if inhaled. May cause skin irritation. May cause eye irritation. May be harmful if swallowed.

# Early onset symptoms related to exposure Refer to Section 4

**Delayed health effects from exposure** Refer to Section 11

#### **Exposure levels and health effects** Refer to Section 4

Refer to Section 4

### Interactive effects

Not known

When specific chemical data is not available Not applicable

Mixture of chemicals Refer to Section 2.1

#### **Further information**

No further toxicological information is available.

#### SECTION 12. ECOLOGICAL INFORMATION

12.1 Toxicity	
Toxicity to fish	LC50 (Oncorhynchus mykiss (rainbow trout)) > 250 mg/l Exposure time: 96 h
Toxicity to aquatic	EC50 (Daphnia magna (Water flea)) 0.0065 mg/l

### Belt® 480 SC Insecticide



Version 1 / AUS 102000010980

Revision Date: 28.04.2021 Print Date: 29.04.2021

invertebrates	Exposure time: 48 h		
Toxicity to aquatic plants	IC50 (Raphidocelis subcapitata (freshwater green alga)) > 0.07 mg/l Exposure time: 72 h The value mentioned relates to the active ingredient. No acute toxicity was observed at its limit of water solubility.		
12.2 Persistence and degradability			
Biodegradability	Readily biodegradable. The value mentioned relates to the active ingredient flubendiamide.		
Biodegradability	Flubendiamide: Not rapidly biodegradable		
Кос	Flubendiamide: Koc: 2197		
12.3 Bioaccumulative potential			
Bioaccumulation	Flubendiamide: Bioconcentration factor (BCF) 73 Does not bioaccumulate.		
12.4 Mobility in soil			
Mobility in soil	DT50 13 d. Depending on photolysis. The value mentioned relates to the active ingredient flubendiamide. DT50 600 d. Depending on microbial activity. The value mentioned relates to the active ingredient flubendiamide.		
Mobility in soil	Flubendiamide: Slightly mobile in soils		
12.5 Other adverse effects			
Additional ecological information	No other effects to be mentioned.		

#### **SECTION 13. DISPOSAL CONSIDERATIONS**

Triple-rinse containers before disposal. Add rinsings to spray tank. Do not dispose of undiluted chemicals on site. If recycling, replace cap and return clean containers to recycler or designated collection point. If not recycling, break, crush, or puncture and deliver empty packaging to an approved waste management facility. If an approved waste management facility is not available, bury the empty packaging 500 mm below the surface in a disposal pit specifically marked and set up for this purpose, clear of waterways, desirable vegetation and tree roots, in compliance with relevant Local, State or Territory government regulations. Do not burn empty containers or product. Do not reuse container for any other purpose.

#### SECTION 14. TRANSPORT INFORMATION

ADG

UN number Transport hazard class(es) Subsidiary Risk Packaging group Description of the goods

#### 3082 9 None III ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S.

### Belt® 480 SC Insecticide

Hazchem Code



Version 1 / AUS 102000010980

Revision Date: 28.04.2021 Print Date: 29.04.2021

(FLUBENDIAMIDE) •3Z

AU01: Environmentally Hazardous Substances meeting the descriptions of UN 3077 or UN 3082 are not subject to this Code when transported by road or rail in; a) packagings that do not incorporate a receptacle exceeding 500 kg(L); or b) IBCs

.

IMDG	UN number Transport hazard class(es) Subsidiary Risk Packaging group	<b>3082</b> 9 None III
	Marine pollutant Description of the goods	YES ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUBENDIAMIDE)
ΙΑΤΑ	UN number Transport hazard class(es) Subsidiary Risk	<b>3082</b> 9 None

UN number Transport hazard class(es) Subsidiary Risk Packaging group Environm. Hazardous Mark Description of the goods 3082 9 None III YES ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (FLUBENDIAMIDE )

#### SECTION 15. REGULATORY INFORMATION

Registered according to the Agricultural and Veterinary Chemicals Code Act 1994 Australian Pesticides and Veterinary Medicines Authority approval number: 61223

#### SUSMP classification (Poison Schedule)

Schedule 5 (Standard for the Uniform Scheduling of Medicines and Poisons)

#### **SECTION 16. OTHER INFORMATION**

Trademark information Belt® is a Registered Trademark of the Bayer Group.

#### Abbreviations and acronyms

ADN	European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways
ADR	European Agreement concerning the International Carriage of Dangerous Goods by Road
ATE	Acute toxicity estimate
AU OEL	Australia. OELs. (Adopted National Exposure Standards for Atmospheric
	Contaminants in the Occupational Environment)
CAS-Nr.	Chemical Abstracts Service number
CEILING	Ceiling Limit Value

# Belt® 480 SC Insecticide



Version 1 / AUS 102000010980

Revision Date: 28.04.2021 Print Date: 29.04.2021

Conc.	
EC-No.	European community number
ECx EINECS	Effective concentration to x %
ELINCS	European inventory of existing commercial substances European list of notified chemical substances
ELINCS	European Standard
EU	European Union
IATA	International Air Transport Association
IBC	International Code for the Construction and Equipment of Ships Carrying Dangerous
IBC	Chemicals in Bulk (IBC Code)
ICx	Inhibition concentration to x %
IMDG	International Maritime Dangerous Goods
LCx	Lethal concentration to x %
LDx	Lethal dose to x %
LOEC/LOEL	Lowest observed effect concentration/level
MARPOL	MARPOL: International Convention for the prevention of marine pollution from ships
N.O.S.	Not otherwise specified
NOEC/NOEL	No observed effect concentration/level
OECD	Organization for Economic Co-operation and Development
OES BCS	OES BCS: Internal Bayer AG, Crop Science Division "Occupational Exposure
5544	Standard"
PEAK	PEAK: Exposure Standard - Peak means a maximum or peak airborne concentration of a particular substance determined over the shortest analytically practicable period of time which does not expected 45 minutes.
סוס	time which does not exceed 15 minutes.
RID SK-SEN	Regulations concerning the International Carriage of Dangerous Goods by Rail Skin sensitiser
SKIN_DES	
SKIN_DES	SKIN_DES: Skin notation: Absorption through the skin may be a significant source of exposure.
STEL	STEL: Exposure standard - short term exposure limit (STEL): A 15 minute TWA
	exposure which should not be exceeded at any time during a working day even if the
	eight-hour TWA average is within the TWA exposure standard. Exposures at the STEL
	should not be longer than 15 minutes and should not be repeated more than four times
	per day. There should be at least 60 minutes between successive exposures at the
	STEL.
TWA	TWA: Exposure standard - time-weighted average (TWA): The average airborne
	concentration of a particular substance when calculated over a normal eight-hour
T\A/A	working day, for a five-day working week.
TWA	Time weighted average United Nations
UN WHO	World health organisation
	wond nearth organisation

This SDS summarises our best knowledge of the health and safety hazard information of the product and how to safely handle and use the product in the workplace. Each user should read this SDS and consider the information in the context of how the product will be handled and used in the workplace including in conjunction with other products.

If clarification or further information is needed to ensure that an appropriate risk assessment can be made, the user should contact this company.

Our responsibility for products sold is subject to our standard terms and conditions, a copy of which is sent to our customers and is also available on request.

Changes since the last version are highlighted in the margin. This version replaces all previous versions.