according to Regulation (EC) No. 1907/2006 as amended by (EC) No. 2015/830; US OSHA HCS 2015; and Canadian WHMIS 2015. Section 1. Identification of the Substance/Mixture and of the Company/Undertaking 1.1 FGAU280, FGAU283, FGAU284, FGAU285 Product Code: **Product Name:** CALCIUM 5X CALCIUM 5X Trade Name: 1.2 Relevant identified uses of the substance or mixture and uses advised against: Relevant identified uses: For agricultural use only 1.3 Details of the Supplier of the Safety Data Sheet: Stoller Australia **Company Name:** 1 Cresswell Road Largs Bay South Australia 5016, Australia Web site address: www.stoller.com.au Email address: stoller@stoller.com.au 1800 337-845 Information: 1.4 **Emergency telephone number:** STOLLER PRODUCTION CHEMIST **Emergency Contact:** Contact number: 08 8169-0988 Section 2. Hazards Identification 2.1 Classification of the Substance or Mixture: Serious Eye Damage/Eye Irritation, Category 2 Acute Toxicity: Skin, Category 4 Acute Toxicity: Oral, Category 4 2.2 Label Elements: **GHS Signal Word:** Warning **GHS Hazard Phrases:** H302 - Harmful if swallowed. H312 - Harmful in contact with skin. H319 - Causes serious eye irritation. **GHS Precaution Phrases:** P264 - Wash hands thoroughly after handling. P270 - Do not eat, drink or smoke when using this product. P280 - Wear protective gloves/protective clothing/eye protection/face protection. **GHS Response Phrases:** P301+312 - IF SWALLOWED: Call a POISON CENTER or doctor/physician if you feel unwell. P302+352 - IF ON SKIN: Wash with plenty of soap and water. P305+351+338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P312 - Call a POISON CENTER or doctor/physician if you feel unwell. P330 - Rinse mouth. P337+313 - If eye irritation persists, get medical advice/attention. P362+364 - Take off contaminated clothing and wash it before reuse. **GHS Storage and Disposal Phrases:**

		Supersedes Revision. 00/01/2013	
	P501 - Dispose of cont	ents/container to permitted waste facility.	
2.3	Adverse Human Health	Hazards not otherwise classified (HNOC) or not covered by GHS: None.	
	Effects and Symptoms	Chronic exposures to skin and mucous membranes that cause irritation may cause a chronic dermatitis or mucosal membrane problem.	
2.3.1	Inhalation:	Inhaling mist, spray, or vapor may cause irritation to upper respiratory tract (nose and throat).	
2.3.2	Skin Contact:	Skin irritation. Skin exposure may cause slight irritation, redness, itching, swelling. May cause more severe response if skin is damp, abraded (scratched or cut), or covered by clothing, gloves or footwear. Prolonged contact may cause more severe symptoms. Damage is localized to contact areas.	
2.3.3	Eye Contact:	Causes eye irritation. Eye exposure may cause serious eye irritation, pain, and/or damage to the eye.	
2.3.4	Ingestion:	Consumption of hypertonic solutions causes nausea, vomiting, and increased thirst.	
	Medical Conditions	Any skin condition that disrupts the skin, such as abrasions, cuts, psoriasis, fungal	
	Generally Aggravated	infections, etc. Any eye condtion that compromises tear production, conjunctiva, or	
	By Exposure:	normal corneal homeostasis.	
	Section 3. Composition/Information on Ingredients		

CAS #	Components (Chemical Name)/ REACH Registration No.	Concentration	EC No./ EC Index No.	GHS Classification
22691-02-7	Calcium chloride (CaCl2), hydrate	<15.0 %	607-129-7 NA	Eye Damage 2: H319

		Section 4. First Aid Measures
4.1 Description of First Aid Victims of severe exposure to chemicals must be taken to health providing cen		
	Measures:	medical attention. Always bring with victim a copy of label and SDS of product to health professional.
	In Case of Inhalation:	Remove person to fresh air and keep comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
	In Case of Skin	Wash with plenty of water. If skin irritation occurs, get medical advice/attention. Take off
	Contact:	contaminated clothing and wash before re-use.
	In Case of Eye	Rinse cautiously with water for several minutes. Remove contact lenses, if present and
	Contact:	easy to do. Continue rinsing. If irritation occurs, get medical advice/attention.
	In Case of Ingestion:	Rinse mouth. Call a POISON CENTER or doctor/physician if you feel unwell.
4.2	Important Symptoms	Solution and/or solids may be visible on the skin and/or eyes. Localized redness,
	and Effects, Both	warmth, and irritation consistent with mechanism of injury: abrasion, burn, hypertonic
	Acute and Delayed:	solution.
	Note for the Doctor:	Treat symptomatically and supportively.

Page: 3 Printed: 03/12/2018 Revision: Revision: 03/12/2018 Supersedes Revision: 06/01/2015

edia: nsuitable xtinguishing Media: ammable Properties ad Hazards:	Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. None known. This material does not burn. Formed under fire conditions: hydrogen chloride gas, calcium oxide N.A. LEL: N.A. UEL: N.A. N.A. Keep unnecessary people away; isolate hazard area and deny entry. Fight fire for other material that is burning. Water should be applied in large quantities as fine spray. Wear NIOSH approved positive-pressure self-contained breathing apparatus operated in pressure demand mode. Wear protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). Avoid contact with this material during fire fighting operations. If contact is likely, change to full chemical resistant fire fighting clothing with self-contained breathing apparatus and fight fire from a remote location. For protective equipment in post-fire or non-fire clean-up situations,
nsuitable atinguishing Media: ammable Properties ad Hazards: azardous Combustior oducts: ash Pt: aplosive Limits: utoignition Pt: re Fighting	None known. This material does not burn. Formed under fire conditions: hydrogen chloride gas, calcium oxide N.A. LEL: N.A. UEL: N.A. N.A. Keep unnecessary people away; isolate hazard area and deny entry. Fight fire for other material that is burning. Water should be applied in large quantities as fine spray. Wear NIOSH approved positive-pressure self-contained breathing apparatus operated in pressure demand mode. Wear protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). Avoid contact with this material during fire fighting operations. If contact is likely, change to full chemical resistant fire fighting clothing with self-contained breathing apparatus and fight fire from a
atinguishing Media: ammable Properties ad Hazards: azardous Combustion oducts: ash Pt: aplosive Limits: utoignition Pt: re Fighting	This material does not burn. Formed under fire conditions: hydrogen chloride gas, calcium oxide N.A. LEL: N.A. UEL: N.A. N.A. Keep unnecessary people away; isolate hazard area and deny entry. Fight fire for other material that is burning. Water should be applied in large quantities as fine spray. Wear NIOSH approved positive-pressure self-contained breathing apparatus operated in pressure demand mode. Wear protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). Avoid contact with this material during fire fighting operations. If contact is likely, change to full chemical resistant fire fighting clothing with self-contained breathing apparatus and fight fire from a
ammable Properties ad Hazards: azardous Combustion oducts: ash Pt: xplosive Limits: utoignition Pt: re Fighting	 N.A. LEL: N.A. UEL: N.A. N.A. Keep unnecessary people away; isolate hazard area and deny entry. Fight fire for other material that is burning. Water should be applied in large quantities as fine spray. Wear NIOSH approved positive-pressure self-contained breathing apparatus operated in pressure demand mode. Wear protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). Avoid contact with this material during fire fighting operations. If contact is likely, change to full chemical resistant fire fighting clothing with self-contained breathing apparatus and fight fire from a
d Hazards: azardous Combustior oducts: ash Pt: xplosive Limits: utoignition Pt: re Fighting	 N.A. LEL: N.A. UEL: N.A. N.A. Keep unnecessary people away; isolate hazard area and deny entry. Fight fire for other material that is burning. Water should be applied in large quantities as fine spray. Wear NIOSH approved positive-pressure self-contained breathing apparatus operated in pressure demand mode. Wear protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). Avoid contact with this material during fire fighting operations. If contact is likely, change to full chemical resistant fire fighting clothing with self-contained breathing apparatus and fight fire from a
azardous Combustion oducts: ash Pt: xplosive Limits: utoignition Pt: re Fighting	N.A. LEL: N.A. UEL: N.A. N.A. Keep unnecessary people away; isolate hazard area and deny entry. Fight fire for other material that is burning. Water should be applied in large quantities as fine spray. Wear NIOSH approved positive-pressure self-contained breathing apparatus operated in pressure demand mode. Wear protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). Avoid contact with this material during fire fighting operations. If contact is likely, change to full chemical resistant fire fighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing wih self-contained breathing apparatus and fight fire from a
oducts: ash Pt: xplosive Limits: utoignition Pt: re Fighting	N.A. LEL: N.A. UEL: N.A. N.A. Keep unnecessary people away; isolate hazard area and deny entry. Fight fire for other material that is burning. Water should be applied in large quantities as fine spray. Wear NIOSH approved positive-pressure self-contained breathing apparatus operated in pressure demand mode. Wear protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). Avoid contact with this material during fire fighting operations. If contact is likely, change to full chemical resistant fire fighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing wih self-contained breathing apparatus and fight fire from a
ash Pt: plosive Limits: utoignition Pt: re Fighting	LEL: N.A. UEL: N.A. N.A. Keep unnecessary people away; isolate hazard area and deny entry. Fight fire for other material that is burning. Water should be applied in large quantities as fine spray. Wear NIOSH approved positive-pressure self-contained breathing apparatus operated in pressure demand mode. Wear protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). Avoid contact with this material during fire fighting operations. If contact is likely, change to full chemical resistant fire fighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a
xplosive Limits: utoignition Pt: re Fighting	LEL: N.A. UEL: N.A. N.A. Keep unnecessary people away; isolate hazard area and deny entry. Fight fire for other material that is burning. Water should be applied in large quantities as fine spray. Wear NIOSH approved positive-pressure self-contained breathing apparatus operated in pressure demand mode. Wear protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). Avoid contact with this material during fire fighting operations. If contact is likely, change to full chemical resistant fire fighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a
utoignition Pt: re Fighting	N.A. Keep unnecessary people away; isolate hazard area and deny entry. Fight fire for other material that is burning. Water should be applied in large quantities as fine spray. Wear NIOSH approved positive-pressure self-contained breathing apparatus operated in pressure demand mode. Wear protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). Avoid contact with this material during fire fighting operations. If contact is likely, change to full chemical resistant fire fighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing wih self-contained breathing apparatus and fight fire from a
re Fighting	Keep unnecessary people away; isolate hazard area and deny entry. Fight fire for other material that is burning. Water should be applied in large quantities as fine spray. Wear NIOSH approved positive-pressure self-contained breathing apparatus operated in pressure demand mode. Wear protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). Avoid contact with this material during fire fighting operations. If contact is likely, change to full chemical resistant fire fighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a
	material that is burning. Water should be applied in large quantities as fine spray. Wear NIOSH approved positive-pressure self-contained breathing apparatus operated in pressure demand mode. Wear protective fire fighting clothing (includes fire fighting helmet, coat, trousers, boots, and gloves). Avoid contact with this material during fire fighting operations. If contact is likely, change to full chemical resistant fire fighting clothing with self-contained breathing apparatus. If this is not available, wear full chemical resistant clothing with self-contained breathing apparatus and fight fire from a
	refer to the relevant sections.
S	Section 6. Accidental Release Measures
otective Precautions	, Isolate the area. Keep unnecessary and unprotected personnel from entering the area.
otective Equipment of Emergency ocedures:	Spilled material may cause a slipping hazard on some surfaces. Use appropriate safety equipment. For additional information, refer to Section 8, Exposure Controls and Personal Protection. Refer to Section 7, Handling, for additional precautionary measures
vironmental	Prevent entry into waterways, sewers, basements or confined areas. See Section 12, Ecological Information.
ethods and Material	Small and large spills: Contain spilled material if possible. Absorb with materials such as
or Containment and	sand. Collect in suitable and properly labeled containers. Flush residue with water. See
eaning Up:	Section 13, Disposal Considerations, for additional information.
	Section 7. Handling and Storage
ecautions To Be	Avoid contact with eyes, skin, and clothing. Do not swallow. Wash thoroughly after
ken in Handling:	handling. Wear personal protective equipment as described in Section 8, Exposure Controls/Personal Protection.
ecautions To Be ken in Storing:	Protect from atmospheric moisture. Keep containers tightly closed when not in use. Keep separated from incompatible substances see Section 10, Stablility and Reactivity.
	etective Equipment d Emergency ocedures: vironmental ecautions: thods and Material containment and aning Up: ecautions To Be secautions To Be

8.1 Exposure Parameters: CAS # Chemical Name Jurisdiction Recommended Exposure Limits Notations 22691-02-7 Calcium chloride (CaCl2), hydrate ACGIH TLV TLV: 10 mg/m³ TLV: 10 mg/m³

Licensed to Stoller USA: MIRS MSDS, (c) A V Systems, Inc.

8.2	Exposure Controls:	
8.2.1	Engineering Controls	Use local exhaust ventilation, or other engineering controls to maintain airborne levels
	(Ventilation etc.):	below exposure limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, general ventilation should be sufficient for most operations. Local exhaust ventilation may be necessary for some operations.
8.2.2	Personal protection e	quipment:
	Eye Protection:	Wear safety glasses with side-shields. Wear chemical safety goggles and/or a face-shield to protect against skin and eye contact when appropriate.
	Protective Gloves:	Use gloves chemically resistant to this material. If hands are cut or scratched, use gloves chemically resistant to this material even for brief exposures. NOTICE: The selection of a specific glove for a particular application and duration of use in a workplace should also take into account all relevant workplace factors such as, but not limited to: other chemicals which may be handled, physical requirements (cut/puncture protection, dexterity, thermal protection), potential body reactions to glove materials, as well as the instructions.specifications provided by the glove supplier.
	Other Protective	Wear clean, body-covering clothing. Wear appropriate clothing to avoid skin contact.
	Clothing:	
	Respiratory Equipmen	t Respiratory protection should be worn when there is a potential to exceed the exposure
	(Specify Type):	limit requirements or guidelines. If there are no applicable exposure limit requirements or guidelines, wear respiratory protection when adverse effects, such as respiratory irritation or discomfort have been experienced, or where indicated by your risk assessment process. In dusty or misty atmospheres, use an approved particulate respirator. The following should be effective types of air-purifying respirators: high efficiency particulate air (HEPA) N95. A respiratory protection program that meets OSHA's 29 CFR 1910.134 and ANSI Z88.2 requirements or European Standard EN 149 must be followed whenever workplace conditions warrant respirator use.
	Work/Hygienic/Mainter	${f n}$ Use good personal hygiene. Do not consume or store food in the work area. Wash
	ance Practices:	hands and affected skin immediately after handling, before smoking or eating, before breaks, and at the end of the workday.
		No data available.
	Se	ction 9. Physical and Chemical Properties

9.1 Information on Basic Physical and Chemical Properties

Physical States:	[]Gas	[X] Liquid	[] Solid
Appearance and Odor:	Clear to pa	ale yellow color	
	Very slight	characteristic	odor.
pH:	~ 0.6 - 2.6		
Freezing Point:	N.E.		
Boiling Point:	No data.		
Flash Pt:	N.A.		
Evaporation Rate:	N.E.		
Saturated Vapor	N.E.		
Concentration:			
Flammability (solid, gas):	Material wi	ill not burn.	
Explosive Limits:	LEL: N.A.	UEL: N.	A.
Vapor Pressure (vs. Air or	N.E.		
mm Hg):			
Vapor Density (vs. Air = 1):	N.E.		

Page: 5 Printed: 03/12/2018 Revision: Revision: 03/12/2018 Supersedes Revision: 06/01/2015

		Supersedes Revision: 06/01/2015		
	Specific Gravity (Water	•		
	Density:	~ 9.4 LB/GA		
	Solubility in Water:	Soluble		
	Octanol/Water Partitior Coefficient:	No data.		
	Autoignition Pt:	N.A.		
	Decomposition Temper			
	Viscosity:	N.E.		
9.2	Other Information			
	Percent Volatile:	N.A.		
		Section 10. Stability and Reactivity		
10.1	Reactivity:	Hygroscopic.		
10.2	Stability:	Unstable [] Stable [X]		
10.3	Conditions To Avoid -	None known.		
	Hazardous Reactions:			
	Possibility of	Will occur [] Will not occur [X]		
	Hazardous Reactions:			
10.4		Stable under normal temperatures and pressures.		
	Instability:			
10.5	Incompatibility -	Avoid contact with: bromide trifluoride. 2-furan percarboxylic acid because calcium		
	Materials To Avoid:	chloride is incompatible with those substances. Contact with zinc forms flammable		
		hydrogen gas, which can be explosive. Catalizes exothermic polymerization of methyl vinyl ether. Reaction of bromide impurity with oxidizing materials may generate trace		
		levels of impurities such as bromates.		
10.6	Hazardous	Formed under fire conditions: hydrogen chloride gas, calcium oxide		
	Decomposition or			
	Byproducts:			
		Section 11. Toxicological Information		
11.1	Information on	Mutagenicity: This product has not been investigated for mutagenic effects.		
	Toxicological Effects:	Embryotoxicity: This product has not been investigated for embryotoxic effects.		
		Teratogenicity: This product has not been investigated for teratogenic effects.		
		Reproductive Toxicity: This product has not been investigated for toxic reproductive effects.		
	Irritation or Corrosion:	No data available.		
	Symptoms	No data available.		
	related to Toxicologica	1		
	Characteristics:			
	Sensitization:	No data available.		
	Chronic Toxicological	The toxicological properties of this material have not been fully investigated.		
	Effects:			
	• •	No component is listed as a carcinogenic by IARC, NTP, OSHA, and ACGIH.		
	Information:			
Carci	nogenicity:	NTP? No IARC Monographs? No OSHA Regulated? No		

Page: 6 Printed: 03/12/2018 Revision: Revision: 03/12/2018 Supersedes Revision: 06/01/2015

		Section 12. Ecological Information		
12.1	Toxicity:	The available data on this material does not indicate any undue hazard to the environment under anticipated use and storage. All work practices must be aimed at eliminating environmental contamination. Any waste due to spillage or leakage should be contained and disposed of accordingly, see above under Section 6 "Accidental Release Measures."		
12.2	Persistence and Degradability:	Calcium chloride is believed not to persist in the environment because it is readily dissociated into calcium and chloride ions in water. Both ions originally exist in nature, and their concentrations in surface water will depend on various factors, such as geological parameters, weathering and human activities.		
12.3	Bioaccumulative Potential:	Calcium chloride and its dissociated forms (calcium and chloride ions) are ubiquitous in the environment. Calcium and chloride ions can also be found as constituents in organisms. Considering its dissociation properties, calcium chloride is not expected to accumulate in living organisms.		
12.4	Mobility in Soil:	Chloride ions are mobile in soil eventually draining into surface water.		
12.5	Results of PBT and vPvB assessment:	No data available.		
12.6	Other adverse effects:	No data available.		
		Section 13. Disposal Considerations		
13.1	 Waste Disposal Method: PRODUCT: Reuse or reprocess, if possible. Waste disposal must be done following all Federal, State and Local regulations. Regulations may vary in different locations. Report spills if applicable. Chemical waste generators must determine whether a discarded chemical is classified as a hazardous waste. This product, if unaltered by use, may be disposed of by treatment at a permitted facility or as advised by your local waste regulatory authority. CONTAINER: Dispose properly accordingly to regulations on empty containers in your locality or make available to a container reconditioning facility for recycling. 			
		Section 14. Transport Information		
D	LAND TRANSPORT (U OT Proper Shipping Nar OT Hazard Class: N/NA Number:			
14.1	LAND TRANSPORT (Canadian TDG):		
	OG Shipping Name:			
	N Number:			
14.1 A U	azard Class: LAND TRANSPORT (E DR/RID Shipping Name: N Number: azard Class:			

Page: 7 Printed: 03/12/2018 Revision: Revision: 03/12/2018 Supersedes Revision: 06/01/2015

14.2 MARINE TRANSPOR	RT (IMDG/IMO):
IMDG/IMO Shipping Na	me: Not Regulated. Trade Name: CALCIUM 5X
UN Number:	Packing Group:
Hazard Class:	
	IMDG MFAG Number: N.A.
IMDG EMS Page:	
14.3 AIR TRANSPORT (IC	•
ICAO/IATA Shipping Na	
Additional Transport	Placards / Markings: N.A.
	Emergency Response Guide Number: N.A.
	Reportable Quantity: N.A.
	Section 15. Regulatory Information
Canadian WHMIS Classific	ation:
	$\widehat{}$
	(\mathbf{T})
	CLASS D, DIVISION 2, SUBDIVISION B: Toxic Materials (Mutagenicity, skin
	sensitization, irritation, etc.)
	Section 16. Other Information
Revision Date:	03/29/2016
Hazard Rating System:	HEALTH Flammability Instability
	FLAMMABILITY 0
	REACTIVITY 0 Health
HMIS:	PPE NFPA: Special Hazard
Additional Information Abo	· ·
This Product:	
Company Policy or	
Disclaimer:	Stoller believes the information contained in this Safety Data Sheet is accurate based on
	the information provided by reputable suppliers of our raw materials. However, Stoller
	does not guarantee their accuracy or completeness. The information contained herein is
	furnished without warranty of any kind, whether expressed or implied, as to the safety of
	the goods, the merchantability of the goods, or the fitness of the goods for any particular
	purpose. Users should consider these data only as a supplement to other information
	gathered by them and must make independent determination of suitability and
	completeness of information from all sources to assure proper use and disposal of these
	materials and the safety and health of employees and customers. Stoller assumes no
	responsibility for results obtained or for incidental or consequential damages arising from
	the use of goods and data.