Safety Data Sheet

according to WHS Regulations

1 Identification

Product Name: NORDOX 750 WG COPPER FUNGICIDE

Other Means of Identification: Mixture

Recommended Use of the Chemical and Restriction on Use: Agricultural fungicide and bactericide

Details of Manufacturer or Importer:

Nordox Australia Pty Ltd 27 Heinemann Road Wellcamp QLD 4350

Phone Number: 07 4639 2009

Emergency telephone number: 07 4639 2009

2 Hazard(s) Identification

Hazardous Nature:

Classified as Hazardous according to the Globally Harmonised System of Classification and Labelling of Chemicals (GHS) and Safe Work Australia criteria.

Not subject to the ADG Code when transported in Australia by Road or Rail in packages 500kg(L) or less; or IBCs (refer to SP AU01). However, if transported by Air or Sea, this provision does not apply. Then the product is classed as Dangerous (Class 9 Environmentally Hazardous) by IATA and IMDG/IMSBC respectively. See details below and in Section 14 of this SDS.



Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.



Acute Toxicity (Oral) 4 H302 Harmful if swallowed.

Signal Word Warning

Hazard Statements

H302 Harmful if swallowed.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary Statements

P273 Avoid release to the environment.

P264 Wash hands thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P301+P312 IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P330 Rinse mouth.

P391 Collect spillage.

P501 Dispose of contents/container in accordance with local/regional/national regulations.

3 Composition and Information on Ingredients

Chemical Characterization: Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

Hazardous Components:				
1317-39-1	dicopper oxide			
	Aquatic Acute 1, H400; Aquatic Chronic 1, H410;	86.2%		

4 First Aid Measures

Inhalation:

If inhaled, remove to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Seek medical attention if breathing problems develop.

Skin Contact:

In case of skin contact, immediately remove contaminated clothing and wash affected areas with water and soap. Seek medical attention if symptoms occur.

Eye Contact:

In case of eye contact, rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Seek medical attention.

Ingestion:

If swallowed, do not induce vomiting. Do not give anything by mouth to an unconscious person. Seek immediate medical attention.

5 Fire Fighting Measures

Suitable Extinguishing Media:

Carbon dioxide or dry chemical powder. Limit the use of water if the spillage can contaminate water sources.

Specific Hazards Arising from the Chemical: Non combustible.

Special Protective Equipment and Precautions for Fire Fighters:

When fighting a major fire wear self-contained breathing apparatus and protective equipment.

6 Accidental Release Measures

Personal Precautions, Protective Equipment and Emergency Procedures:

Wear approved dust/particulate filter respirator and full protective clothing. Evacuate all non-essential personnel from affected area. Do not breathe dust. Ensure adequate ventilation. Avoid generating dust.

Environmental Precautions:

In the event of a major spill, prevent spillage from entering drains or water courses.

Methods and Materials for Containment and Cleaning Up:

Stop leak if safe to do so and sweep powder into a pile and shovel into drums for subsequent disposal. Avoid generating dust. Provide adequate ventilation.

7 Handling and Storage

Precautions for Safe Handling:

Use of safe work practices are recommended to avoid eye or skin contact and inhalation of dust. Take precautionary measures against static discharges. Prevent formation of dust.

Revision date 23/02/2022

Product Name: NORDOX 750 WG COPPER FUNGICIDE

Food, beverages and tobacco products should not be stored or consumed where this material is in use. Always wash hands before smoking, eating, drinking or using the toilet. Wash contaminated clothing and other protective equipment before storage or re-use. Provide eyewash fountains and safety showers in close proximity to points of potential exposure.

Conditions for Safe Storage:

Store in a cool, dry and well ventilated area. Keep in original container tightly closed when not in use. Protect from moisture and humidity.

8 Exposure controls and personal protection

Exposure Standards:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Engineering Controls: Ensure adequate ventilation of the working area.

Respiratory Protection:

Where an inhalation risk exists, wear a Class P1 (particulate) respirator. See Australian/New Zealand Standards AS/NZS 1715 and 1716 for more information.

Skin Protection:

PVC, PVA, nitrile, neoprene, rubber or vinyl gloves. See Australian/New Zealand Standard AS/NZS 2161 for more information.

When selecting gloves for use against certain chemicals, the degradation resistance, permeation rate and permeation breakthrough time should be considered.

Occupational protective clothing (depending on conditions in which it has to be used, in particular as regards the period for which it is worn, which shall be determined on the basis of the seriousness of the risk, the frequency of exposure to the risk, the characteristics of the workstation of each worker and the performance of the protective clothing). See Australian/New Zealand Standard AS/NZS 4501 for more information.

Eye and Face Protection:

Eye and face protectors for protection against dust. See Australian/New Zealand Standard AS/NZS 1337 for more information.

9 Physical and Chemical Properties

Appearance:

Form: Granules Colour: Red-brown

Odour: Weak earthy odour
Odour Threshold: Not applicable
pH-Value: 7.0-8.5 (1% solution)

Melting point/freezing point: >332 °C

Initial Boiling Point/Boiling Range: Decomposes over 332 °C before boiling.

Flash Point: Not applicable

Flammability: Product is not flammable.

Auto-ignition Temperature:

Decomposition Temperature: >332 °C

Explosion Limits:

Lower: Not applicable
Upper: Not applicable
Vapour Pressure: Not applicable.
Density: Not determined.
Relative Density at 20 °C: ~5.87 kg/L
Vapour Density: Not applicable.
Evaporation Rate: Not applicable

Solubility in Water: Soluble in water - At pH 6.6 salt: 0,000639 g/L at 20 ° C as Cu 0,000539

Solubility in Solvents: <14 mg/L (organic solvents)

10 Stability and Reactivity

Possibility of Hazardous Reactions: Hazardous polymerisation will not occur. **Chemical Stability:** Stable at ambient temperature and under normal conditions of use.

Conditions to Avoid: Moisture and humidity. **Incompatible Materials:** No information available

Hazardous Decomposition Products: No information available

11 Toxicological Information

Toxicity:

LD _{5 o} /LC	LD _{5 0} /LC _{5 0} Values Relevant for Classification:				
1317-39-1 dicopper oxide					
Oral	LD50	3165 mg/kg (rat)			
Dermal	LD50	>2000 mg/kg (rabbit)			
Inhalation	LC50	>4.84 mg/L (rat)			

Acute Health Effects

Inhalation: No adverse health effects expected.

Skin: No adverse health effects expected.

Eye: No adverse health effects expected.

Ingestion: Harmful if swallowed.

Skin Corrosion / Irritation: Based on classification principles, the classification criteria are not met.

Serious Eye Damage / Irritation: Based on classification principles, the classification criteria are not met.

Respiratory or Skin Sensitisation: Based on classification principles, the classification criteria are not met.

Germ Cell Mutagenicity: Based on classification principles, the classification criteria are not met.

Carcinogenicity: This product does NOT contain any IARC listed chemicals.

Reproductive Toxicity: Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Single Exposure:

Based on classification principles, the classification criteria are not met.

Specific Target Organ Toxicity (STOT) - Repeated Exposure:

Based on classification principles, the classification criteria are not met.

Aspiration Hazard: Based on classification principles, the classification criteria are not met.

Chronic Health Effects: May cause "metallic fever" after inhalation of dust. Existing Conditions Aggravated by Exposure: No information available

12 Ecological Information

Ecotoxicity:

Copper is a necessary trace element and stimulates plant growth and yield on copper deficient soil.

Aquatic toxicity:

Very toxic to aquatic organisms. May cause long-term adverse effects in the aquatic environment.

Persistence and Degradability: Not biodegradable.

Bioaccumulative Potential:

Copper-ions bind strongly to soil. The median water-soil partitioning coefficient (Kp) is 2120 L/kg.

Mobility in Soil:

Copper salts will in general gradually release Cu++ ions in soil. The ions will strongly adhere to negatively charged clay minerals and soil oxides, and charged organic molecules. Some ions will also be absorbed as nutrient to biota. Following this the mobility of copper ions is strongly restricted in soil.

Other adverse effects: No information available

13 Disposal considerations

Disposal Methods and Containers: Dispose according to applicable local and state government regulations.

Special Precautions for Landfill or Incineration:

Please consult your state Land Waste Management Authority for more information.

14 Transport information

UN Number

ADG, IMDG, IATA UN3077

Proper Shipping Name

ADG 30 77 ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S.

IMDG, IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, SOLID,

N.O.S.

Dangerous Goods Class 9

Packing Group:

Marine pollutant: Symbol (fish and tree)

EMS Number: F-A,S-F

Hazchem Code: 2Z

Special Provisions: 179, 274, 331, 335, AU01

Limited Quantities: 5 kg

Packagings & IBCs - Packing Instruction: P002, IBC08, LP02

Packagings & IBCs - Special Packing Provisions: PP12, B3

Portable Tanks & Bulk Containers - Instructions: T1, BK2

Portable Tanks & Bulk Containers - Special

Provisions: TP33

15 Regulatory information

Australian Inventory of Chemical Substances:		
1317-39-1	dicopper oxide	

Standard for the Uniform Scheduling of Drugs and Poisons (SUSMP) - Poison Schedule:

Poisons Schedule: 5

16 Other information

Date of Preparation or Last Revision: 23/02/2022

Prepared by: Nordox Australia Pty Ltd www.tanuki.com.au

Abbreviations and acronyms:

ADG: Australian Dangerous Goods

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

CAS: Chemical Abstracts Service (division of the American Chemical Society) LC₅₀: Lethal concentration, 50 percent

LD₅₀: Lethal dose, 50 percent

IARC: International Agency for Research on Cancer

STEL: Short Term Exposure Limit

TWA: Time Weighted Average

NES: National Exposure Standard (Safe Work Australia - Workplace Exposure Standards For Airborne Contaminants)

Acute Toxicity (Oral) 4: Acute toxicity - Category 4

Aquatic Acute 1: Hazardous to the aquatic environment, short-term (Acute). Category 1

Aquatic Chronic 1: Hazardous to the aquatic environment, long-term (Chronic). Category 1

Disclaimer

This SDS is prepared in accord with the Safe Work Australia document "Code of Practice for the Preparation of Safety Data Sheets for Hazardous Chemicals - 2021"

The information contained in this safety data sheet is provided in good faith and is believed to be accurate at the date of issuance. Nordox Australia Pty L t d makes no representation of the accuracy or comprehensiveness of the information and to the full extent allowed by law excludes all liability for any loss or damage related to the supply or use of the information in this material safety data sheet. The user is cautioned to make their own determinations as to the suitability of the information provided to the particular circumstances in which the product is used.