

Infosafe No™ 3NV6Y	Issue Date : August 2022	ISSUED by NUFARM
--------------------	--------------------------	------------------

 Product Name **Nufarm Nuprid 350**

Classified as hazardous

1. Identification

GHS Product Identifier	Nufarm Nuprid 350
Product Code	1158
Product Type	Group 4A Insecticide
Company Name	NUFARM AUSTRALIA LIMITED. (ABN 80 004 377 780)
Address	103-105 Pipe Road Laverton North Victoria 3026 Australia
Telephone/Fax Number	Tel: +61 3 9282-1000
Emergency phone number	1800 033 498 (24hr Australia)
E-mail Address	SDSANZ@nufarm.com
Recommended use of the chemical and restrictions on use	For the control of a wide range of insect pests in a variety of crops using various application methods as per the ?Directions for use? table.
Other Information	This Safety Data Sheet describes the properties of the intermediate product. The physical properties and the assessments may not apply to the properties of the product once it has been diluted for application.

2. Hazard Identification

GHS classification of the substance/mixture	Acute toxicity: Category 4 - Oral Hazardous to the aquatic environment, long-term (Chronic): Category Chronic 1
Signal Word (s)	WARNING
Hazard Statement (s)	H302 Harmful if swallowed H410 Very toxic to aquatic life with long lasting effects
Precautionary statement – General	If medical advice is needed, have product container or label at hand. Keep out of reach of children. Read label before use.
Pictogram (s)	Exclamation mark, Environment



Precautionary statement – Prevention	P264 Wash hands and exposed skin thoroughly after handling. P270 Do not eat, drink or smoke when using this product. P273 Avoid release to the environment.
Precautionary statement – Response	P301+P317 IF SWALLOWED: Get medical help. P330 Rinse mouth. P391 Collect spillage.
Other Information	Poisons Schedule S6

3. Composition/information on ingredients

Ingredients	<u>Name</u>	<u>CAS</u>	<u>Proportion</u>
	Imidacloprid	138261-41-3	350 g/L
	Glycerine	56-81-5	10-30 %
	Other ingredients (considered non-hazardous)		0-10 %
	Water		Balance

4. First-aid measures

Infosafe No™ 3NV6Y	Issue Date : August 2022	ISSUED by NUFARM
--------------------	--------------------------	------------------

Product Name **Nufarm Nuprid 350**

Classified as hazardous

Inhalation	Remove affected person to fresh air until recovered. If symptoms develop or persist, seek medical advice.
Ingestion	Rinse mouth and then drink plenty of water. Do not give anything by mouth to a semi-conscious or unconscious person. Seek medical advice immediately.
Skin	Remove contaminated clothing and launder before re-use. Wash affected areas thoroughly with soap and water.
Eye contact	If in eyes, hold eyelids open and wash with copious amounts of water for at least 15 minutes. Seek medical advice.
First Aid Facilities	If poisoning occurs, contact a doctor or the Poisons Information Centre (Australia) on 13 11 26.
Advice to Doctor	Treat symptomatically. Has a nicotine like effect. Check blood pressure and pulse rate frequently, as bradycardia and hypotonia are possible. Provide supportive measures for respiratory function and cardiac action. Give artificial respiration if signs of paralysis appear. Additional therapeutic measures involve elimination of the substance from the body or acceleration of its excretion (gastric lavage, saline laxatives, activated charcoal). Contra-indications: Avoid absorption promoting agents such as alcoholic beverages and milk.

5. Fire-fighting measures

Suitable extinguishing media	Water fog, foam, carbon dioxide or dry chemical.
Hazards from Combustion Products	May emit toxic fumes of hydrogen chloride, hydrogen cyanide, carbon monoxide and nitrogen oxides if involved in fires or exposed to extreme heat.
Special Protective Equipment for fire fighters	Breathable air apparatus should be worn when fighting a fire in which this product is involved.
Specific hazards arising from the chemical	Considered low risk due to water content, however upon evaporation of water the product is combustible.
Other Information	STOP FIRE WATER FROM ENTERING DRAINS OR WATER BODIES.

6. Accidental release measures

Spills & Disposal	Contain spill and absorb with clay, sand, soil or proprietary absorbent (such as vermiculite). Collect spilled material and waste in sealable open-top type containers for disposal.
Personal Protection	For appropriate personal protective equipment (PPE), refer Section 8.

7. Handling and storage

Conditions for safe storage, including any incompatibilities	Store in the closed, original container in a cool, well ventilated area. Do not store for prolonged periods in direct sunlight.
Other Information	Always read the label and any attached leaflet before use.

8. Exposure controls/personal protection

Occupational exposure limit values	Safe Work Australia has set the following exposure standard for glycerine : TLV (TWA) 10 mg/m ³ , STEL -.
Appropriate engineering controls	Handle in well ventilated areas, generally natural ventilation is adequate.
Personal Protective Equipment	It is good practice to wear suitable personal protective equipment (PPE). When opening the container, preparing spray and using the prepared spray wear cotton overalls buttoned to the neck and wrist and a washable hat, elbow-length PVC gloves and face shield or goggles.

Infosafe No™ 3NV6Y	Issue Date : August 2022	ISSUED by NUFARM
--------------------	--------------------------	------------------

 Product Name **Nufarm Nuprid 350**

Classified as hazardous

Hygiene Measures	Re-entry period: Do not enter treated area until spray has dried. After use and before eating, drinking or smoking, wash hands, arms and face thoroughly with soap and water. After each day's use, wash contaminated clothing and safety equipment.
Requirements Concerning Special Training	Check State or Territory regulations that require people who use pesticides in their job or business to have training in the application of the materials.

9. Physical and chemical properties

Form	Liquid
Appearance	Beige liquid suspension
Solubility in Water	Disperses in water.
Specific Gravity	1.16
pH	6.5 - 7.5 in a 1% solution
Vapour Pressure	9×10^{-7} mPa @ 25°C (imidacloprid)
Partition Coefficient: n-octanol/water	Kow Log P is 0.57 @ 21°C (imidacloprid)
Flammability	Not flammable

10. Stability and reactivity

Chemical Stability	Stable under normal conditions.
Possibility of hazardous reactions	Keep away from strong oxidising agents.
Hazardous Polymerization	Hazardous polymerisation is not possible.

11. Toxicological Information

Acute Toxicity - Oral	LD50 (rat) 450 mg/kg for imidacloprid
Acute Toxicity - Dermal	LD50 (rat) >5000 mg/kg for imidacloprid
Acute Toxicity - Inhalation	LC50 (rat) (4hr) >5 mg/l for imidacloprid
Ingestion	Swallowing large quantities may cause vomiting, diarrhoea, abdominal pain, lethargy, depressed muscular tone, muscular cramps, respiratory disturbances and trembling.
Inhalation	Inhalation of sprays or mists may result in effects described under ingestion.
Eye	May irritate the eyes.
Chronic Effects	Based on available data, repeated exposures are not anticipated to cause additional significant adverse effects.
Serious eye damage/irritation	Mild eye irritant.
Skin corrosion/irritation	Mild skin irritant.
Other Information	The Australian Acceptable Daily Intake (ADI) for imidacloprid for a human is 0.06 mg/kg/day, set for the public for daily, lifetime exposure. This is based on the NOEL of 6 mg/kg/day, the level determined to show no effects during long term exposure for the most sensitive indicators and the most sensitive species. (Ref: Aust Govt Dept. of APVMA, 'ADI List', Edition 3/2021).

12. Ecological information

Other Precautions	Do not contaminate dams, waterways or sewers with this product or the containers which have held this product. Avoid run-off within 48 hours of application. Should not be applied while bees are actively foraging.
--------------------------	--

Infosafe No™ 3NV6Y	Issue Date : August 2022	ISSUED by NUFARM
--------------------	--------------------------	------------------

 Product Name **Nufarm Nuprid 350**

Classified as hazardous

Environmental Protection Spray drift should be avoided, read the label for more information.

Acute Toxicity - Fish The following is data for the active ingredient, imidacloprid.
 LC50 (96hr) for Oncorhynchus mykiss is >83 mg/l.

Acute Toxicity - Daphnia LC50 (48hr) for daphnia magna is 85 mg/l.

Acute Toxicity - Algae EC50 (72hr) for Scenedemus subspicatus >10 mg/l.

Acute Toxicity - Other Organisms LD50 for japanese quail is 31 mg/kg
 LD50 for bobwhite quail is 152 mg/kg
 Harmful to bees by direct contact.

Other Information LC50 (96hr) for Americamysis bahia is 0.034 mg/l for imidacloprid.

13. Disposal considerations

Product Disposal On site disposal of the concentrated product is not acceptable.
 Ideally, the product should be used for its intended purpose. If there is a need to dispose of the product, approach local authorities who hold periodic collections of unwanted chemicals (ChemClear®).

Container Disposal Do not use this container for any other purpose.
 Triple or preferably pressure rinse containers before disposal. Add rinsings to the spray tank.
 If recycling, replace cap and return clean containers to recycler or designated collection point.
 If not recycling, break, crush or puncture and deliver empty packaging for appropriate disposal at an approved waste management facility.
 If an approved waste management facility is not available, bury the empty packaging 500mm below the surface in a disposal pit specifically marked and set up for this purpose clear of waterways, desirable vegetation and tree roots, in compliance with relevant local, state or territory government regulations.

Empty containers and product should not be burnt.
 drumMUSTER is the national program for the collection and recycling of empty, cleaned, non returnable crop production and on-farm animal health chemical containers. If the label on your container carries the drumMUSTER symbol, triple rinse the container, ring your local Council, and offer the container for collection in the program.

14. Transport information

Storage and Transport Considered non dangerous in packs not exceeding 500 kg (L) or IBCs not exceeding 3000 kg (L) for transport by the Australian Code for the Transport of Dangerous Goods by Road and Rail. (Special Provision AU01)
 For bulk shipments as Class 9, use UN 3082, HazChem code 3Z.

UN Number (Sea Transport) 3082

IMO Class/Packing Group Class 9, Packing Group III

IMO Proper Shipping Name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (contains imidacloprid)

15. Regulatory information

Regulatory Information Australia: WHS regulations (2011) - Schedule 11: classification not listed.

Poisons Schedule S6

Packaging & Labelling POISON
 KEEP OUT OF REACH OF CHILDREN
 READ SAFETY DIRECTIONS BEFORE OPENING OR USING

Other Information This product is registered with the Australian Pesticides and Veterinary Medicines Authority (APVMA). APVMA product number: 60587.

16. Other Information

Infosafe No™ 3NV6Y	Issue Date : August 2022	ISSUED by NUFARM
--------------------	--------------------------	------------------

Product Name **Nufarm Nuprid 350**

Classified as hazardous

Date of preparation or last revision of SDS Revised 15 November 2021.

SDS

Contact Person/Point Normal Hours: SDS Coordinator Phone: +61 3 9282 1000
After Hours: Shift Supervisor Phone: 1800 033 498

Revisions Highlighted The SDS was reviewed. Minor changes were made to the information.

...End Of MSDS...

© Copyright Chemical Safety International Pty Ltd

Copyright in the source code of the HTML, PDF, XML, XFO and any other electronic files rendered by an Infosafe system for Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copyright in the layout, presentation and appearance of each Infosafe MSDS displayed is the intellectual property of Chemical Safety International Pty Ltd. The compilation of MSDS's displayed is the intellectual property of Chemical Safety International Pty Ltd.

Copying of any MSDS displayed is permitted for personal use only and otherwise is not permitted. In particular the MSDS's displayed cannot be copied for the purpose of sale or licence or for inclusion as part of a collection of MSDS without the express written consent of Chemical Safety International Pty Ltd.